

Product Data Sheet

TEROL 70

Complies with the following specifications:

 US FDA 21 CFR 178.3620(b), White Mineral Oil for its Color and UV absorbance characteristics.

S.	Characteristic	Unit	Test Method	Typical Data	
No.				Min.	Max.
1	Appearance	-	Visual	A Colourless, transparent, oily liquid, bright and clear	
2	Colour, Saybolt	-	ASTM D 156	+25	
3	Odour	-	Olfactory	Almost Odourless	
4	Kinematic Viscosity at 40 °C	cSt	ASTM D 445/ D 7042	67.0	76.0
5	Relative Density at 20°C	-	ASTM D 1298	0.820	0.875
6	Flash Point	°C	ASTM D 92	230	
7	Pour Point	°C	ASTM D 97		-12
8	Ultraviolet Absorbance 280-290 nm 290-299 nm 300-309 nm 330-350 nm	Abs/cm	CFR 178.3620 (b)		4.0 3.3 2.3 0.8

Terol 70 – Light Mineral Oil is a clean grade of White Oil specially formulated from chosen hydro treated and highly Paraffinic Oils. These oils are used in several applications including textiles (non-staining), special hair product formulations, foams etc, incense sticks, plastic paper and cosmetic industries.

Advantages:

- Non-staining
- · Almost inert and non-reactive emollient
- · High oxidation resistance

Disclaimer: Manufacturer makes no warranties, representation or conditions of any kind, expressed or implied, for use with respect to these products. Final determination of suitability of these products for the application contemplated by the user is solely the user's responsibility.